



ASC
GLOBAL

INDUSTRIAL PRODUCTS CATALOG

03 Circuit Breakers, Fuses, & Protection

04 Controls, Indicators & Drives

05 Electronic Components

06 HVAC & Plumbing

07 Hydraulics

08 Industrial Supplies

09 Lighting

10 Mechanical Components

11 Motors & Motor Control

12 Networking & Communication

13 Pilot Devices

14 PLCs & HMIs

15 Pneumatics

16 Robotics

17 Safety Equipment

18 Sensors

19 Servo Products

20 Switches

21 Test & Measurement Equipment

22 Tools & Accessories

Circuit Breakers



EATON CORPORATION
JDC3250

- TYPE JDC
- 250AMP
- 3POLE
- 600VAC
- 250VDC
- 35KAIC @ 600V



EATON CORPORATION
FS360150A

- TYPE FS
- 3 POLE
- 150 AMP
- 600 VAC
- 14KA @ 480

Contactors & Starters



GENERAL ELECTRIC
CR306A004

- STARTER
- SIZE00
- 9AMP
- 3POLE
- 440V/50HZ
- 460-480V/60HZ



EATON CORPORATION
CN55BN3AB

- CONTACTOR
- 3P SZ0 120V
- NEMA OPEN REV CONT
- SIZE 0
- 120V COIL

Electrical Products



EATON CORPORATION
DH321NRK

- FUSIBLE SAFETY SWITCH
- W/NEUT
- 30 A
- 240V
- SINGLE-THROW
- CLASS H



LEVITON
CA7-72-00-24Z

- 50 AMP
- 250 VOLT
- BLACK & WHITE LOCKING FLUSH MOUNT RECEPTACLE
- INDUSTRIAL GRADE

Power Supplies



ACOPIAN
A5MT1200

- GOLD BOX (3-DAY POWER SUPPLY)
- AC-DC SINGLE OUTPUT
- OUPUT VOLTAGE: 5
- OUTPUT VOLTAGE 40C: 12 55C: 10 71C: 8



KEPCO
PAT100-0.2

- PAT100-0.2
- POWER SUPPLY
- .8AMP
- 115/230VAC
- 50/440HZ

Transformers



SIGNAL TRANSFORMER
DPC-34-125

- POWER TRANSFORMER
- 4.4VA
- 50/60HZ



SIGNAL TRANSFORMER
DNFR18250FIB-KD

- 50\60 HZ
- LAMINATED TRANSFO

Relays



SIEMENS
3RH1140-1JB40

- CONTROL RELAY
- 4NO
- 24VDC EXT COIL
- SCREW



ALLEN BRADLEY
809-A24E

- INSTANTANEOUS TRIP CURRENT RELAY
- COIL CURRENT 210 AMP. OPEN STYLE
- MOUNTABLE

More manufacturers

- ALTECH CORP
- ASEA BROWN BOVERI
- B&K PRECISION
- BRADY
- DANAHER CONTROLS
- DART CONTROLS
- DELTA GROUP
- FUJI ELECTRIC
- HDR
- HOCHIKI
- HONEYWELL
- HUBBELL ACME
- LH RESEARCH
- MEAN WELL
- MITSUBISHI
- NTE
- OMRON
- PULS
- STANCOR
- TAMURA
- TRIP LITE
- TRI-TRONICS
- VICOR
- WEIDMULLER

| Controls & Indicators | | Drives | |
|--|--|--|---|
| SIMPSON 08300  <ul style="list-style-type: none"> PANEL METER 49A 0-1 ACV-RE4.5 RECT | EATON CORPORATION BFD22U  <ul style="list-style-type: none"> 130VDC 2NO 2NC CTRL RLAY | ALLEN BRADLEY 150-A35NBDE  <ul style="list-style-type: none"> MOTOR CONTROLLER SMC-2 35AMP 480VAC 50/60HZ 3PH | DANFOSS 195H3101  <ul style="list-style-type: none"> DRIVE VARIABLE SPEED 3.5 AMP 208/240 VAC IP65 0.37 KW |
| SIMPSON 03580  <ul style="list-style-type: none"> PANEL METER 55ET 60HZ 120VAC 3.5 RND | DANAHER TM1A60501  <ul style="list-style-type: none"> ELECTRIC REPEAT CYCLE CAM TIMER SURFACE MOUNTING | DANAHER SMARTSTEP  <ul style="list-style-type: none"> FLIP-FLOP TYPE:D PROPAGATION DELAY:25NS FREQUENCY:25MHZ OUTPUT CURRENT:16MA LOGIC CASE STYLE:DIP | ALLEN BRADLEY 22A-B017N104  <ul style="list-style-type: none"> IC 16BIT MCU PIC24H 40MIPS TQFP-44 CONTROLLER FAMILY/SERIES:PIC24 |
| OMRON E5CX-QP-F  <ul style="list-style-type: none"> TEMPERATURE CONTROLLER 100-240VAC 50/60HZ 1/16 DIN | EATON CORPORATION AR420AR  <ul style="list-style-type: none"> 4P AR RELAY 2 NO CARTRIDGES RING TER SCRW. 110/120 VAC | ALLEN BRADLEY 102931  <ul style="list-style-type: none"> SIGNAL ISOLATOR BOARD PCB BOARD ASSEMBLY | DANFOSS 175H1027  <ul style="list-style-type: none"> AC DRIVE 1.5 HP 380-415 V AC NEMA 12 ENCLOSURE VLT 3002 |

| More manufacturers | | | | | |
|---------------------|--------------------|--------------------|--------------|---------------------|-----------|
| • ASEA BROWN BOVERI | • DEC | • HONEYWELL | • MAN ROLAND | • PANDUIT | • ROBICON |
| • AUTOMAITON DIRECT | • FANUC | • ISHIDA | • MITSUBISHI | • PERTRON | • SIEMENS |
| • CANBERRA | • GAMMAFLUX | • JOHNSON CONTROLS | • NIDEC CORP | • RED LION CONTROLS | • VECTRAN |
| • CHROMALOX | • GENERAL ELECTRIC | • K TRON | • OPTO 22 | • RKC | • YASKAWA |

Cable and Wire



EATON CORPORATION
E57-18GU08-D

- GLOBAL PROXIMITY
- 18MM DIAMETER
- TUBULAR
- UNSHIELDED
- 2-WIRE
- 10 - 30VDC
- N.O. NPN/PNP



EATON CORPORATION
E57-18GU08-D

- INTERCONNECT CABLE
- 6 FOOT
- FOR ADVANTAGE ACM

Components



COPELAND
014-0061-27

- START CAPACITOR
- 88-106MFD
- 330V



AMPHENOL
97-3106A-18-4P


- PLUG
- 18-4
- CABLE
- PRODUCT RANGE:97 SERIES
- CIRCULAR CONNECTOR SHELL

Heating Elements



ALLEN BRADLEY
1410-EOB50

- MOTOR WINDING HEATER
- ELECTRONIC
- 100 HP MAXIMUM
- 460V AC 60 HZ
- SQUIRREL CAGE MOTOR



JOHNSON CONTROLS
A19ABC-11C


- THERMOSTAT
- IMMERSION HOT WATER CONTROL
- SPDT
- 100-240 DEGREE F RANGE

Integrated Circuits



NTE
NTE7474

- FLIP-FLOP TYPE:D
- PROPAGATION DELAY:25NS
- FREQUENCY:25MHZ
- OUTPUT CURRENT:16MA
- LOGIC CASE STYLE:DIP



MICROCHIP
PIC24HJ64GP204-I/PT

- IC
- 16BIT MCU
- PIC24H
- 40MIPS
- TQFP-44
- CONTROLLER FAMILY/SERIES:PIC24

Panel Accessories



AMERICAN ZETTLER
AZ2150-1C-12DE

- 40A MINI POWER RELAY
- 12VDC COIL



EATON CORPORATION
C363UC30CT

- ROTARY SWITCH
- DIS.CFR
- 3 POLE
- 30 AMP
- BASE MOUNTED

Semiconductors



NTE
NTE5318

- BRIDGE RECTIFIER
- SINGLE PHASE
- 4A
- 200V TROUGH HOLE
- NO. OF PHASES:SINGLE PHASE



NTE
NTE2366

- BIPOLAR TRANSISTOR
- PNP
- -300V
- TO-92
- TRANSISTOR POLARITY:PNP













More manufacturers

- ABB THOMAS & BETTS
- ALPHA WIRE
- BANNER ENGINEERING
- BELDEN
- BELKIN
- BRADY
- BUD INDUSTRIES
- DIALIGHT
- EXTRON
- GC ELECTRONICS
- HEWLETT PACKARD
- HUBBEL
- IDEAL
- IDEC
- L COM
- METTLER TOLEDO
- NIKKAI
- OMNEX
- OMRON
- PANDUIT
- SAMTEC
- SPACE SHUTTLE
- VIDEK
- WEIDMULLER

| HVAC | | Plumbing | |
|--|--|---|--|
| AUTOMATED LOGIC S6104  <ul style="list-style-type: none"> CONTROL MODULE 20 VA 24 VAC SINGLE EQUIPMENT | UNITED TECHNOLOGIES CARRIER HK42FZ011  <ul style="list-style-type: none"> FURNACE CONTROL HSCI 24 VAC INPUT 465 MA 60 HZ 120 VAC LINE 1012-940 | SLOAN VALVE CO EL-1500-L  <ul style="list-style-type: none"> WATER CLOSET ELECTRONIC SENSOR 24V | MILTON INDUSTRIES INCORPORATED 209  <ul style="list-style-type: none"> RUBBER SPOUT |
| KING ELECTRIC LPWA2740-S-TP-HLR-G  <ul style="list-style-type: none"> LPWA LG ARCH 277V 4000W W/SURFACE CAN TP STAT HEAT LOCKOUT RELAY SILVER | ECLIPSE COMBUSTION 11128  <ul style="list-style-type: none"> MEDIA FILTER FOAM 20 IN. DIAMETER 20 PPI RETICULATED POLYURETHANE | ACORN ENGINEERING 2570-027-000  <ul style="list-style-type: none"> FAUCET REPLACEMENT LEFT HAND VALVE BODY USE WITH ACORN AIR-TROL VALVES (MOQ=1 PKG QTY=1) | CHROMALOX NWH-151G  <ul style="list-style-type: none"> DISCONTINUED BY MANUFACTURER CIRCULATION HEATER 120/240V 1.5KW 82WATT 18X12-3/8 |
| HONEYWELL W973A-1017  <ul style="list-style-type: none"> LOGIC PANEL SINGLE ZONE 2 HEAT 2 COOL 24 VDC 8 VA | HONEYWELL MS8209F-1003  <ul style="list-style-type: none"> FAST ACTING ACTUATOR 24VSR 2-POSITION 80INLB CW FASTACT | DEUBLIN 357-000-003  <ul style="list-style-type: none"> ROTARY UNION 1IN NPT LEFT HAND AVAILABLE REBUILT SURPLUS NEW | SLOAN VALVE CO EBV-1020-A  <ul style="list-style-type: none"> FLEX-TUBE DIAPHRAGM ASSEMBLY REPAIR KIT USED IN THE G2 : OPTIMA PLUS : ECOS AND SOLIS |

More manufacturers

- AQUA-PURE
- ARMSTRONG AIR
- BARD HVAC
- BELL & GOSSETT
- BOSCH THERMOTECHNOLOGY
- DAIKIN
- DELTA FAUCET
- GOODMAN
- KOHLER
- LENNOX
- LG HVAC
- MITSUBISHI ELECTRIC
- MOEN
- MUELLER INDUSTRIES
- RHEEM
- RUUD
- TACO COMFORT SOLUTIONS
- TEMPSTAR
- TRANE
- UPONOR
- VIEGA
- WATERFURNACE

| Hydraulics | | | |
|--|--|--|---|
| <p>NOSHOK 15-910-100-PSI/KPA</p>  <ul style="list-style-type: none"> • PRESSURE GAUGE • 1.5" ABS CASE • COPPER ALLOY INTERNALS • 100 PSI/KPA • 1/8 NPT MALE BACK CONN | <p>NOSHOK 20-100-100-PSI/KPA</p>  <ul style="list-style-type: none"> • 2" ABS CASE • COPPER ALLOY INTERNALS • 100 PSI/KPA • 1/4" NPT BOTTOM CONN | <p>NOSHOK 20-120-300-PSI/KPA</p>  <ul style="list-style-type: none"> • PRESSURE GAUGE • 2" STEEL PANEL MOUNT CASE • 300 PSI/KPA • 1/4 NPT BACK CONN | <p>NOSHOK 25-310-15-PSI</p>  <ul style="list-style-type: none"> • PRESSURE GAUGE • 2.5" BRASS CASE • COPPER ALLOY INTERNALS • 15 PSI • 1/4 NPT MALE BACK CONN • GLYCERIN FILLED |
| <p>NOSHOK 25-120-100-PSI/KPA</p>  <ul style="list-style-type: none"> • 2.5" STEEL PANEL MOUNT CASE • COPPER ALLOY INTERNALS • 100 PSI/KPA • 1/4" NPT MALE BACK CONN | <p>NOSHOK 25-410-30-PSI/KG/CM2</p>  <ul style="list-style-type: none"> • PRESSURE GAUGE • 2.5" 304SS CASE • 316SS INTERNALS • 30 PSI/KG/CM2 • 1/4 NPT MALE BACK CONN | <p>NOSHOK 15-401-160-PSI</p>  <ul style="list-style-type: none"> • PRESSURE GAUGE • 1.5" 304SS CASE • 316SS INTERNALS • 160 PSI • 1/8 NPT MALE BOTTOM CONN | <p>NOSHOK 15-411-100-PSI</p>  <ul style="list-style-type: none"> • PRESSURE GAUGE • 1.5" 304SS CASE • 316SS INTERNALS • 100 PSI • 1/8 NPT MALE BACK CONN |
| <p>NOSHOK 2000-X-X-3</p>  <ul style="list-style-type: none"> • SMART SYSTEM INDICATOR QUAD NPN-OC OPTION CARD | <p>NOSHOK 20-120-200-PSI/KPA-CC</p>  <ul style="list-style-type: none"> • PRESSURE GAUGE • 2" STEEL PANEL MOUNT CASE • 200 PSI/KPA • 1/4 NPT BACK CONN • CERTIFIED CALIBRATION | <p>NOSHOK 25-500-15-PSI</p>  <ul style="list-style-type: none"> • PRESSURE GAUGE • 2.5" 304SS CASE • 316SS INTERNALS • 15 PSI • 1/4 NPT MALE BOTTOM CONN • GLYCERIN FILLED | <p>NOSHOK 25-100-300-PSI/KPA</p>  <ul style="list-style-type: none"> • PRESSURE GAUGE • 2.5" ABS CASE • COPPER ALLOY INTERNALS • 300 PSI/KPA • 1/4 NPT MALE BOTTOM CONN |



More manufacturers

- B & R
- BECKER
- BOSCH REXROTH
- CHAR-LYNN
- CONTINENTAL HYDRAULICS
- CROSS MANUFACTURING
- DELTROL FLUID PRODUCTS
- DENISON HYDRAULICS
- EATON
- ENERPAC
- FESTO
- HYDRA-DYNE
- HYDRAFORCE
- HYDRO-GEAR
- HYDRO-LINE
- KAWASAKI
- MUNCIE POWER
- PRODUCTS
- PARKER HANNIFIN
- PERMCO
- PRINCE













| Building Maintenance | |
|---|---|
| FEDERAL SIGNAL ATKINSON DYNAMICS AD-27A | SIEMENS FURNAS ELECTRIC CO 3RG7848-2AH |
|  <ul style="list-style-type: none"> INTERCOM 120 VAC T/L SWITCH VOLUME CONTROL CALL BUTTON |  <ul style="list-style-type: none"> MAGNETIC KEY FOR LIGHT CURTAINS |
| EATON CORPORATION WHEELOCK TB-593 | BRADY 64832 |
|  <ul style="list-style-type: none"> TELBELL RINGER INDOOR / OUTDOOR 55-130 VRMS 20-30 HZ 95 DB RINGER EQUIVALENC 1.6 A |  <ul style="list-style-type: none"> VINYL TAPE B-580 BLACK ON ORANGE 2.25 INCH X 90 FEET 57 MM X 27 M |

| Consumer Goods | |
|---|---|
| PANDUIT LS5 | HONEYWELL INTERMEC PX6C010000001020 |
|  <ul style="list-style-type: none"> PRINTER HANDHELD 4AMP 7.5/9V |  <ul style="list-style-type: none"> INDUSTRIAL PRINTER PX6I THERMAL TRANSFER PRINTER-DIRECT THERMAL USB 32MB DRAM/16MB FLASH |
| BRADY 42001 | BRADY BMXC-PLUS |
|  <ul style="list-style-type: none"> PORTABLE LABEL MAKER KIT HANDIMARK THERMAL-TRANSFER PRINTER BATTERY WITH CHARGER |  <ul style="list-style-type: none"> LABEL MAKER / PRINTER BRADYMARKER XC PLUS MARKER |

| Office Supplies | |
|--|--|
| BRADY 64851 | DICKSON C417 |
|  <ul style="list-style-type: none"> TAPE CARTRIDGE DISPENSER 1INX125FT |  <ul style="list-style-type: none"> 8 INCH CHART 7-DAY -20 TO 120F PACK OF 60 CHARTS (650041700) |

| Printers | |
|--|--|
| WEIDMULLER 1858980000 | PANDUIT H000X044H1C |
|  <ul style="list-style-type: none"> PRINTER PRINTJET II 10 AMP 115 VAC 50/60 HZ CARTRIDGE PRINTS 200000 CHARACTERS |  <ul style="list-style-type: none"> CONTINUOUS HEAT-SHRINK LABEL CASSETTE POLYOLEFIN MILITARY-GRADE CAN BE CUT-TO-LENGTH |

| More manufacturers | | | | | |
|--|--|---|--|---|---|
| <ul style="list-style-type: none"> 3M APEX TOOL GROUP BOSTITCH CRC | <ul style="list-style-type: none"> CRESCENT DEWALT DUPONT GEARWRENCH | <ul style="list-style-type: none"> GRAINGER GREENLEE HILTI INGERSOLL RAND | <ul style="list-style-type: none"> IRWIN INDUSTRIAL TOOLS JET KNIPEX | <ul style="list-style-type: none"> LOCTITE LUFKIN MAKITA MILWAUKEE TOOL | <ul style="list-style-type: none"> MSA PROTO RIDGID STANLEY |

| Lighting | | | |
|---|---|--|---|
| ALLEN BRADLEY 800M-N2  <ul style="list-style-type: none"> • BULB • LAMP • 22MM ACCESSORY FOR 800M SERIES PUSHBUTTON • 6.3V | SAFETY TECHNOLOGY INT STI-9623  <ul style="list-style-type: none"> • WIRE GUARD • WHITE • 9-GAUGE COATED STEEL WIRE • STI BEAM • SMOKE DAMAGE STOPPER | INTERMATIC K4521  <ul style="list-style-type: none"> • LIGHTING PHOTO CONTROLLER • 1800 W BALLAST LOAD • 1000 VA • 120 V • 60 HZ | INTERMATIC LC4521C  <ul style="list-style-type: none"> • PHOTO CONTROL • LOCKING TYPE • 120VAC • 50/60 HZ • 1000W TUNGSTEN • 8.3AMP BALLAST |
| ALLEN BRADLEY 800T-N157  <ul style="list-style-type: none"> • REPLACEMENT LAMP • 800T • LAMP • INCANDESCENT • FULL VOLTAGE • 28V • 757 | EATON CORPORATION CUTLER HAMMER E26S11  <ul style="list-style-type: none"> • BULB • INCANDESCENT • REPLACEMENT BULB • 110/140 V | GENERAL ELECTRIC GE LIGHTING 24PSB  <ul style="list-style-type: none"> • INCANDESCENT • BULB • MINI • 2 W • 24 V | FEDERAL SIGNAL K8107178A  <ul style="list-style-type: none"> • FLASH TUBE • 400 V • 30 WATT • 10000 HOUR • 2000000 CP INTENSITY • WIRE LEAD TERMINAL |
| LEDTRONICS FF200-0CW-006B  <ul style="list-style-type: none"> • MINIATURE LED LAMP • MIDGET FLANGE T1-3/4 (SX6S) • 0.60"LX0.285"FLG • COOL WHITE • 6VDC • BIPOLAR | FEDERAL SIGNAL LP1-120G  <ul style="list-style-type: none"> • STROBE LIGHT • LOW PROFILE • MINI • MODEL LP1 • 120 VAC • 0.06 AMP • 80 FLASH RATE / MINUTE | GENERAL ELECTRIC RR7  <ul style="list-style-type: none"> • LIGHTING RELAY SWITCH • 24 VAC COIL (CLASS 2) MOMENTARY • LATCHING • THREE-WIRE LOW VOLTAGE LEADS | GENERAL ELECTRIC GE LIGHTING MPB25M0AX  <ul style="list-style-type: none"> • BALLAST HOUSING • 250WATT • 60HZ • 120/208/240/277VAC • 2.6/1.5/1.3/1.2AMP MAX |

More manufacturers

- ACUITY BRANDS
- BARRON LIGHTING
- BEGHELLI
- CREE
- DESIGNERS FOUNTAIN
- FEIT ELECTRIC
- HOLOPHANE
- HUBBELL LIGHTING
- KEYSTONE TECHNOLOGIES
- LEVITON
- LITHONIA LIGHTING
- LUTRON
- MAXLITE
- NATURALED
- PHILIPS
- RAB LIGHTING
- RABIN LIGHTING
- SATCO
- SORAA
- SYLVANIA
- TCP
- USHIO
- WAC LIGHTING



Automotive

| | |
|--|--|
|  <p>SMC AFM40-N06D-8Z</p> <ul style="list-style-type: none"> • MIST SEPARATOR • AFM40 SERIES • BODY SIZE 40 • 3/4 NPT • AUTO DRAIN • NORMALLY OPEN • METAL BOWL |  <p>SMC AMG850-N20D</p> <ul style="list-style-type: none"> • WATER SEPARATOR • SIZE 850 • 2 INCH NPT PORT SIZE • NORMALLY OPEN • AUTO DRAIN • 1-1.5 MPA |
|--|--|



Conveyor

| | |
|--|---|
|  <p>CONVEYOR COMPONENTS TA-2</p> <ul style="list-style-type: none"> • BELT ALIGNMENT CONTROL • SPRUNG ROLLER LEVER MECHANISM WITH ROTATING CAM • NON-LATCHING • NEMA 4 |  <p>LOVEJOY 68514457573</p> <ul style="list-style-type: none"> • ROLLER • RUN RIGHT IDLERS • MATERIAL POLYURETHANE • SELF LUBRICATING BEARING • CAN BE USED FOR APPLICATIONS |
|--|---|



Machine Parts

| | |
|---|---|
|  <p>EBM PAPST R2E220-AA40-71</p> <ul style="list-style-type: none"> • AC MOTORIZED IMPELLER • 220MM • 230V • BLOWER • TYPE:MOTORIZED IMPELLER |  <p>NEXEN GROUP HORTON MANUFACTURING 5261</p> <ul style="list-style-type: none"> • HOUSING • DIAPHRAGM • BOT • 'K'DIAPH |
|---|---|

Machines

| | |
|--|---|
|  <p>FANUC A05B-2401-C410</p> <ul style="list-style-type: none"> • EMERGENCY STOP |  <p>FANUC FANUC ROBOTICS A05B-2051-C902</p> <ul style="list-style-type: none"> • FAN • FAN UNIT • FAN ASSEMBLY INCLUDES A90L-0001-0396 • ROBOT |
|--|---|

Pumps

| | |
|--|--|
|  <p>AMETEK LAMB ELECTRIC 116757-13</p> <ul style="list-style-type: none"> • VACUUM MOTOR • 120V • 2-STAGE • 5.7INCH • HAZ LOC • 7.9 AMPS |  <p>SMC NZM071HT-K5LZ</p> <ul style="list-style-type: none"> • VACUUM GENERATOR • 4 PIECES • WITH VALVE AND SWITCH • M5 PRESSURE PORT • 43 TO 72 PSI • 0 TO -80 KPA |
|--|--|

Valves

| | |
|--|---|
|  <p>ASCO ASCO NUMATICS 041BA400G0000F</p> <ul style="list-style-type: none"> • SOLENOID VALVE • 24 VDC • 1.2 W • SINGLE SOLENOID |  <p>ASCO ASCO NUMATICS 152SS600K000030</p> <ul style="list-style-type: none"> • SOLENOID VALVE • MK 15 SERIES • 1/4" PORT SIZE • DOUBLE DIRECT SOLENOID • 3 POSITION |
|--|---|

More manufacturers

| | | | | | |
|---|--|--|---|---|---|
| <ul style="list-style-type: none"> • ALMOTION • AVENTICS • BALDOR • BOSTON GEAR | <ul style="list-style-type: none"> • BROWNING • DODGE • ETP TRANSMISSION • GATES CORPORATION | <ul style="list-style-type: none"> • GKN • INA • MARTIN SPROCKET & GEAR | <ul style="list-style-type: none"> • ORIENTAL MOTOR • RBC BEARINGS • REGAL BELOIT • REXNORD | <ul style="list-style-type: none"> • RINGFEDER • SEW-EURODRIVE • SKF • SPIETH | <ul style="list-style-type: none"> • SUMITOMO DRIVE TECHNOLOGIES • THOMPSON COUPLINGS |
|---|--|--|---|---|---|

| Motors/Gearbox/Clutch | | Servo Products | | |
|---|--|--|---|--|
| DANAHER MOTION SUPERIOR ELECTRIC SS451CTG4  <ul style="list-style-type: none"> • SYNCHRONOUS MOTOR • 90 MM FRAME SIZE • 450 OZ-IN TORQUE • 120 VAC | CROUZET 82861010  <ul style="list-style-type: none"> • INDUSTRIAL DC BRUSH GEARED MOTOR | APPLIED MOTION PRODUCTS PDO-2035  <ul style="list-style-type: none"> • DISCONTINUED BY MANUFACTURER • STEPPER MOTOR DRIVE • 110-220 V AC INPUT • 50/60 HZ | DANAHER MOTION INDUSTRIAL DEVICES B8961NP  <ul style="list-style-type: none"> • SERVO CONTROL SINGLE AXIS WITHOUT FRONT PANEL (FP220) | |
| CROUZET 82334955  <ul style="list-style-type: none"> • MOTOREDUCTEUR SYN OVO 823345 1 RPM V=115/230 HZ=50 SENS=INV AXE=70999298 BOB=79 | CROUZET 82334955 | TECO-WESTINGHOUSE DHP4006  <ul style="list-style-type: none"> • MOTOR • 400 HP • 1200 RPM • 3 PHASE • 460 V • 5009B FRAME • ODP ENCLOSURE | CONTROL TECHNOLOGY CORPORATION 2600-XM  <ul style="list-style-type: none"> • CONTROLLER • 5 SLOT • FLEXIBLE PLUG-IN ARCHITECTURE • 128 INPUTS • 120 OUTPUTS | ALLEN BRADLEY 1326AB-B740C-21-K7  <ul style="list-style-type: none"> • DISCONTINUED BY MANUFACTURER • SERVO MOTOR • AC PERMANENT MAGNET • 1326AB TORQUE PLUS SERIES |
| GENERAL ELECTRIC SFMOM1  <ul style="list-style-type: none"> • MOTOR OPERATED MECHANISM • SPECTRA SERIES • 120 VAC / 125 VDC • 5 AMP • 50/60 HZ | EATON CORPORATION CUTLER HAMMER 99-2087-2  <ul style="list-style-type: none"> • STARTER SOFT START 225AMP 277/480VAC | | ALLEN BRADLEY 9101-1467-010  <ul style="list-style-type: none"> • SERVO POWER CABLE • 10 FEET • WITH FEMALE SOCKET | ELECTROCRAFT PDM-10  <ul style="list-style-type: none"> • POSITION CONTROLLER • 1 PHASE • 120/240 VAC • 50/60 HZ • OUTPUT 1 KW |

| More manufacturers | | | | | |
|--------------------|-------------------|---------------------|---------------------|-------------------|-------------------|
| • ABB | • ELWOOD | • LENZE | • MOOG | • PARKER HANNIFIN | • TE CONNECTIVITY |
| • BALDOR ELECTRIC | • EMERSON | • MAGNETEK | • NIDEC | • REGAL BELOIT | • TOSHIBA |
| • BODINE ELECTRIC | • KOLLMORGEN | • MARATHON ELECTRIC | • NORD DRIVESYSTEMS | • SEW EURODRIVE | • WEG ELECTRIC |
| • BROOK CROMPTON | • LEESON ELECTRIC | • MERKLE-KORFF | • ORIENTALMOTOR | • SUMITOMO DRIVE | • YASKAWA |

Audio Visual



- ALLEN BRADLEY**
2801-AM2
- PLATFORM CHASSIS FOR VISION SYSTEM
 - 100-240 VAC
 - 47-63 HZ
 - 300 WATTS



- LEGRAND PASS & SEYMOUR**
TECPOD-ABM3
- MODULE A-BUS MULTI ROOM SOUND SYSTEM 4+4ZONE

Computer



- SIEMENS**
6GK1105-2AB10
- OSM TP62 OPTICAL SWITCH MODULE
 - WITH TWO LWL PORTS
 - 100 MBIT/S



- SIEMENS**
6GT2000-0DC00-0AA0
- MOBILE DATA MEMORY
 - MDS506 MOBY
 - 32 KB RAM
 - -25 TO +70 DEGREES C
 - IP68

Data Control System



- TIME MARK CORP**
257B
- POWER MONITOR
 - 257-SERIES
 - 3 PHASE
 - 5AMP AT 120VAC
 - 208-250VAC
 - 8-PIN



- AMPROBE**
LAV3RMS
- AMPROBE TEST
 - BANDWIDTH MIN:50HZ
 - BANDWIDTH MAX:400HZ
 - ACCURACY %:5%
 - CREST FACTOR:3.1

Data Media



- IMATION ENTERPRISES CORP**
SLR75-75GB
- BLANK TAPE
 - 75GB



- QUANTUM**
MR-VIMQN-01
- MEDIA CARTRIDGE
 - DLT TAPE
 - VS1
 - FORMAT: DLTVS320
 - 160 GB NATIVE
 - 320 GB COMPRESSED
 - 8 MB/SEC

GPS



- TRIMBLE**
98850-01
- GPS RECEIVER
 - PRO 6H
 - GNSS
 - NMEA
 - FLOODLIGHT



- PEOPLENET**
E-006-0210-DC
- ONBOARD COMPUTER
 - GPS RECEIVER
 - CELLULAR MODEM

Telecommunications















- ALLEN BRADLEY**
1751-SL4-SP
- SYNCHLINK
 - 4 PORT SPLITTER BLOCK
 - CONVERTS ELECTRICAL SIGNALS FROM SYNCHLINK BASE



- SIEMENS**
6GK1901-1FC00-0AA0
- IE FC OUTLET
 - RJ45 FASTCONNECT OUTLET
 - RJ45 FOR CONNECTION OF IE FC CABLES
 - AND TP CORD PATCH CABLES













More manufacturers

- AEROHIVE
- ALCATEL-LUCENT
- ALLIED TELESIS
- ARUBA
- AVAYA
- BROCADE
- CISCO
- DELL
- D-LINK
- EDGE-CORE
- EXTREME NETWORKS
- FORTINET
- HEWLETT PACKARD ENTERPRISE
- IBM
- JUNIPER
- LINKSYS
- MIKROTIK
- NETGEAR
- NOKIA
- PALO ALTO NETWORKS
- RIVERBED
- RUCKUS WIRELESS
- TP-LINK

| Pilot Devices | | | |
|--|---|---|--|
| E SWITCH EG2209A  <ul style="list-style-type: none"> SWITCH SLIDE DPDT PCB CONTACT CONFIGURATION:D PDT | EATON CORPORATION CUTLER HAMMER E30-KT2  <ul style="list-style-type: none"> PUSHBUTTON SQUARE MULTI FUNCTION | EATON CORPORATION CUTLER HAMMER 10250T3067  <ul style="list-style-type: none"> 30-1/2MM MOUNT HOLE 4 POSITION SELECTOR SWITCH WITH CAM AND CAP BLACK | EATON CORPORATION CUTLER HAMMER E22-C7  <ul style="list-style-type: none"> CONTACT BLOCK NON-METALLIC 1NO/1NC |
| GENERAL ELECTRIC 116B6708G43R73R4  <ul style="list-style-type: none"> INDICATOR LAMP 2000OHM 125VDC 12.5W RED LED | FUJI ELECTRIC AR30M0R-10B  <ul style="list-style-type: none"> PUSHBUTTON MOMENTARY CONTACT 24VDC MUSHROOM HEAD PANEL MOUNT | OMRON B32-1270  <ul style="list-style-type: none"> KEYCAP FOR USE WITH:OMRON B3F AND B3W SERIES TACTILE SWITCHES ACTUATOR / CAP COLOR:GREEN | KUN HUNG KHTS52CS  <ul style="list-style-type: none"> TOGGLE SWITCH |
| EATON CORPORATION CUTLER HAMMER E22NB4  <ul style="list-style-type: none"> PUSHBUTTON YELLOW ILLUMINATED LENS MOMT. 22.5MM | OMRON B32-1340  <ul style="list-style-type: none"> KEYCAP FOR USE WITH:OMRON B3F AND B3W SERIES TACTILE SWITCHES ACTUATOR / CAP COLOR:BLUE | SIEMENS FURNAS ELECTRIC CO 52PA2A2A  <ul style="list-style-type: none"> PUSHBUTTON 30MM 2POS MAINT MUSH RED | HONEYWELL MICROSWITCH 392-5-1MEG  <ul style="list-style-type: none"> POTENTIOMETER |













More manufacturers

- ABB
- AECO
- ALTECH
- BACO CONTROLS
- BANNER ENGINEERING
- BAUMER
- CARLING TECHNOLOGIES
- CROMPTON INSTRUMENTS
- CROUZET
- DANFOSS
- GRAYHILL
- HENGSTLER
- IDEC
- KRAUS & NAIMER
- LS INDUSTRIAL SYSTEMS
- MURR ELEKTRONIK
- PATLITE
- PEPPERL+FUCHS
- REDWOOD
- SCHMERSAL
- SCHNEIDER ELECTRIC

| HMI / MMI / OIT | | PLCs/Machine Control | |
|---|--|---|--|
| <p>ALLEN BRADLEY 2711-M14</p>  <ul style="list-style-type: none"> OPERATOR INTERFACE CRT 14 INCH COLOR 640X480MAX PANELVIEW | <p>NEMATRON CORP IWS-123</p>  <ul style="list-style-type: none"> INDUSTRIAL WORKSTATION OPERATOR STATION 90-250 V 50/60 HZ | <p>ASEA BROWN BOVERI 57310001-CX</p>  <ul style="list-style-type: none"> PROCESSOR MODULE DSPC-155 SINGLE PORT LED INDICATION RACK MOUNT | <p>ASEA BROWN BOVERI ACCURAY 086348-001</p>  <ul style="list-style-type: none"> PC BOARD PWA7 ECF END COL FRAME 2 CONNECTORS |
| <p>ALLEN BRADLEY 2711-NC2</p>  <ul style="list-style-type: none"> REMOTE KEY SWITCH& RS-232 PORT ASSEMBLY RS-232 PORT REMOTE KEY SWITCH | <p>EATON CORPORATION CUTLER HAMMER 91-00992-01</p>  <ul style="list-style-type: none"> OPERATOR INTERFACE PANELMATE 4000 EATON IDT | <p>ALLEN BRADLEY 1485A-T1H4</p>  <ul style="list-style-type: none"> CONNECTOR TERMINATOR HEAVY DUTY DEVICENET ACCESSORY KWIKLINK HEAVY DUTY TERMINATOR | <p>ALLEN BRADLEY 1485P-P8N5-M5</p>  <ul style="list-style-type: none"> JUNCTION BOX DEVICEPORT MINI-PLEX 8 PORT DEVICENET CONNECTION DEVICE STANDARD MATERIALS |
| <p>CARDINAL SCALES KB670</p>  <ul style="list-style-type: none"> QWERTY KEYBOARD | <p>ALLEN BRADLEY 1400-PD52A</p>  <ul style="list-style-type: none"> POWER MONITOR DISPLAY MODULE 5 AMP 277-480 V | <p>CONTROL TECHNOLOGY CORPORATION 2203</p>  <ul style="list-style-type: none"> COMBINATION I/O MODULE 16IN/16OUT PCB NO. 50-15031 | <p>CROUZET 84130105</p>  <ul style="list-style-type: none"> RELAY MODULE SENSATA / CRYDOM 4-32 VDC INPUT 12-280 VAC OUTPUT 50/60 HZ 5 AMP REGULATED INPUT |

More manufacturers

- B&R AUTOMATION
- BECKHOFF
- BOSCH REXROTH
- DELTA ELECTRONICS
- FATEK
- HITACHI
- HORNER APG
- IDEC
- KEYENCE
- KOYO ELECTRONICS
- LSIS
- MAPLE SYSTEMS
- MITSUBISHI ELECTRIC
- OMRON
- PANASONIC
- PRO-FACE
- RED LION
- SCHNEIDER ELECTRIC
- SIEMENS
- UNITRONICS
- WAGO
- WEINTEK
- XINJE
- YOKOGAWA




| Air Compressor | | Pneumatics | |
|---|---|---|---|
| GRAINGER SPEEDAIRE 4ZL73  <ul style="list-style-type: none"> AIR-LINE LUBRICATOR MODULAR W/ SIGHT DOME AND DRAIN 10 BAR 125 DEGREE F MAX | SIEMENS INDUSTRY ED43B060L  <ul style="list-style-type: none"> CIRCUIT BREAKER 60 AMP 3 POLE 480 VAC 18 KA WITH LUGS | NORGREN R18-C05-RGLA  <ul style="list-style-type: none"> REGULATOR 18 SERIES FRL'S PILOT OPR 2INCH PTF INLET 450PSIG/31BAR | PARKER SCHRADER BELLOWS 058411020  <ul style="list-style-type: none"> FILTER 150PSI AT 125F |
| PARKER REFRIGERATION DIVISION S4A-2  <ul style="list-style-type: none"> SOLENOID VALVE 2" PORT LESSSTRAIN&FLNGS | COPELAND CR24K6-PFV-875  <ul style="list-style-type: none"> HERMETIC COMPRESSOR 24500 BTUH R-22 REFRIGERANT DISCHARGE LINE SIZE: 1/2 INCH | ASCO 302280  <ul style="list-style-type: none"> REBUILD KIT SOLENOID VALVE 8210 SERIES AC COIL | NORGREN 11-002-061  <ul style="list-style-type: none"> REGULATOR OLD STYLE INLINE 1/2 IN NPTF 400 PSIG 28 BAR MAX 125 PSIG 8.6 BAR MAX |
| MEDO CORPORATION VP0935A-V1028-D2-0511  <ul style="list-style-type: none"> LINEAR COMPRESSOR 115 VAC 60 HZ 3 AMP 0-14.9INHG | INGERSOLL RAND 88343033  <ul style="list-style-type: none"> AIR INLET FILTER AIR COMPRESSOR PRECISE DUST/PARTICLE ELEMENT | JOHNSON CONTROLS M9116-GGA-2  <ul style="list-style-type: none"> ACTUATOR PROPORTIONAL ELECTRIC 24 VAC/DC -4 TO 122F 140 IN-LB. 70 TO 115 SECOND | KELE & ASSOCIATES UCP-422-43  <ul style="list-style-type: none"> UCP-422 SERIES 4-20 MA 3-15 PSI OUTPUT PRESSURE GAUGE |

More manufacturers

- | | | | | | |
|--|---|---|---|---|---|
| <ul style="list-style-type: none"> AIGNEP AIRTAC AIRTEC AVENTICS | <ul style="list-style-type: none"> BIMBA BOSCH REXROTH CAMOZZI CLIPPARD | <ul style="list-style-type: none"> E.MC FESTO HUMPHREY LEGRIS | <ul style="list-style-type: none"> MINDMAN NITTA PISCO PNEUMATIC PRODUCTS | <ul style="list-style-type: none"> PNEUMAX ROSS CONTROLS SATA SMC | <ul style="list-style-type: none"> VACCON WILKERSON |
|--|---|---|---|---|---|

| Robotics | | | |
|--|---|--|--|
| APPLIED MOTION PRODUCTS PDO-2035 | DANAHER MOTION INDUSTRIAL DEVICES B8961NP | DANAHER MOTION INDUSTRIAL DEVICES D2301 | CENTENT CN0165 |
|  <ul style="list-style-type: none"> • STEPPER MOTOR DRIVE • 110-220 V AC INPUT • 50/60 HZ • SWITCH SELECTABLE |  <ul style="list-style-type: none"> • SERVO CONTROL • SINGLE AXIS WITHOUT FRONT PANEL (FP220) |  <ul style="list-style-type: none"> • MOTOR CONTROL DRIVE 24VDC W/POWER SUPPLY & CHASSIS |  <ul style="list-style-type: none"> • SERVO DRIVE MICROSTEP • ADJUSTABLE RESOLUTION |

| Machines | | | |
|--|---|--|--|
| ALLEN BRADLEY 140M-F-WBE | RENISHAW PH9A | ASEA BROWN BOVERI XUSP02635 | GORING KERR DSP 3 |
|  <ul style="list-style-type: none"> • FEEDER BLOCK FOR 140MF COMPACT BUSBAR • 115 AMP • 600 VAC |  <ul style="list-style-type: none"> • MOTORIZED PROBE HEAD CONTROLLER |  <ul style="list-style-type: none"> • ABSOLUTE MARKING SYSTEM PLOTTER • AMS 500 • 24VDC • 1.25 AMP |  <ul style="list-style-type: none"> • METAL DETECTOR CONTROL UNIT • TOUCH CONTROL PANEL • W/ DISPLAY AND KEYPAD |

| Gluing Systems | | | |
|---|---|--|--|
| NORDSON 230260P | NORDSON 2302 | NORDSON 288010-D | NORDSON 234428S |
|  <ul style="list-style-type: none"> • CONTROLLER VISTA SERIES • LED DISPLAYS • KEYPAD OPERATION • AKA:230260 |  <ul style="list-style-type: none"> • CONTROL BOARD • MELTING UNIT • 5 MANUAL SETPOINTS • AKA :PA-2302-06 |  <ul style="list-style-type: none"> • CONTROL MODULE • MULTISCAN 3400 • AKA: 288010D |  <ul style="list-style-type: none"> • DISPLAY PANEL / CONTROLLER • FOR VISTA SERIES GLUE POT • WITH TEMPERATURE/CLOCK CONTROLS |

| More manufacturers | | | | | | |
|-----------------------------|---------------|----------------|---------------------|----------------------|--------------------|--|
| • ATI INDUSTRIAL AUTOMATION | • DELTA ROBOT | • FESTO | • KAWASAKI ROBOTICS | • NACHI | • STAUBLI | |
| • B+M SURFACE SYSTEMS | • DENSO | • FRANKA EMIKA | • KEBA | • OMRON ADEPT | • TECHMAN ROBOT | |
| • COMAU | • EPSON | • HANS ROBOT | • KUKA | • PRECISE AUTOMATION | • UNIVERSAL ROBOTS | |
| | • FANUC | • HIWIN | • MITSUBISHI | • SCHUNK | • YAMAHA ROBOTICS | |

Camera & Vision

**MATSUSHITA ELECTRIC
PANASONIC**
GP-MF602



- INDUSTRIAL CAMERA
- 12VDC
- 190MA

OMRON
F150-S1



- CAMERA W/O LENS
- INDUSTRIAL HIGH-SPEED CAMERA
- CCD CAMERA MODULE
- MACHINE VISION

ESD

3M
3040



- GROUNDING CORD
- LEAD LENGTH:15FT
- GROUND CORD COLOUR:BLACK
- GROUND TERMINALS:STUD

DESCO
14234



- ESD GROUNDING CORD KIT
- SURFACE/FLOOR MAT
- BLACK
- LEAD LENGTH: 15FT
- 10 MM STUD SIZE

Fire Safety

SIEMENS
HFP-11



- FIRE DETECTOR (500-033290)
- FOR FIREFINDER XLS AND FS-250 PANELS
- PLUG-IN
- 2-WIRE

DET TRONICS
004539-009



- GAS SENSOR
- EXPLOSION PROOF
- TYPE: C7064E4012
- H2S
- 4 - 20 MA
- 24 VDC
- 0-100 PPM OUTPUT

Flame Safety Products

HONEYWELL
Q270A-1024



- WIRING MOUNTING BASE
- SCREW DOWN ELECTRICAL TERMINATION
- FOR RA890/R4795

DET TRONICS
R7404-B7001



- FLAME DETECTION SYSTEM
- ULTRAVIOLET
- 8 CHANNELS
- BACKPLATE CONNECTOR
- HIGH SPEED

Safety Systems

ALLEN BRADLEY
802F-S62P8



- KEY INTERLOCK/SAFETY SWITCH
- 10 A
- 300-400 V AC
- 50/60 HZ

BANNER ENGINEERING
SI-QS75MRHC



- 46701 - FLAT PACK SWITCH: HORIZONTAL RADIUS
- ACTUATOR POSITION: FRONT

Security

BIRCHER
BSF-11



- # 209745 BSF11/ES12 (FOR DIN RAIL OR WALL MOUNT 11 PIN SOCKET)

CRESTRON
CNRF-GWA



- RF RECEIVER
- 434MHZ
- 1-WAY
- RF GATEWAY
- CRYSTAL LOCKED

More manufacturers

- ALLEGRO INDUSTRIES
- ANSELL
- AVIGILON
- BULLARD
- DBI-SALA
- DRAEGER
- DUPONT
- ELVEX
- ERGODYNE
- ERGOTRON
- FALLTECH
- GUARDIAN FALL
- KIMBERLY-CLARK
- LAKELAND INDUSTRIES
- MASTER LOCK
- MILLER FALL
- PROTECTION
- MSA
- PELICAN
- PETZL
- PYRAMEX
- RADIANS
- SALISBURY
- UVEX

Bar Code Equipment

| ALLEN BRADLEY 2755-LD8A4 | SICK CLV410-1010 | SICK CLV410-0010 | KEYENCE CORP BL-701 |
|--|---|---|--|
|  <ul style="list-style-type: none"> • LASER SCANNER FOR BARCODE SCANNING • CABLE CONNECTION • PORTABLE |  <ul style="list-style-type: none"> • BARCODE SCANNER • RASTER • HOST PORT • RS232/422/485 • 4.5-30 V DC |  <ul style="list-style-type: none"> • BAR CODE SCANNER • MID RANGE • LINE SCANNER • 200-800HZ SCANNING FREQUENCY |  <ul style="list-style-type: none"> • BARCODE SCANNER • HIGH RESOLUTION • 24 VDC • 30 MA • NPN |

RF

| OMRON IDSC-C1DR-A-E | ALLEN BRADLEY 2750-ASP | BALLUFF BIS M-402-045-002-07-S4 | AMPHENOL UG-931/U |
|---|--|---|---|
|  <ul style="list-style-type: none"> • CONTROLLER • PROGRAMMABLE • RFID • 16 POINT |  <ul style="list-style-type: none"> • REMOTE ANTENNA • RS-232/422 DEVICES • DH+ 1 AND DH+ 2 • 1830 MHZ • 915 MHZ • DF1 - ASCII PROTOCOL |  <ul style="list-style-type: none"> • PROTOCOL VERSION 1=1.1 • INTERFACE 01=IO-LINK • ANTENNA TYPE=ROUND • DIAMETER=18.00 MM • LENGTH=45.50 MM |  <ul style="list-style-type: none"> • PANEL MOUNT JACK • MHV • STRAIGHT • 4 HOLE FLANGE |

Sensors & Switches

| WAGO 289-557 | EATON CORPORATION CUTLER HAMMER 10316H18 | ASEA BROWN BOVERI SSAC ECSW4LADT | EATON 179C768G02 |
|--|---|---|--|
|  <ul style="list-style-type: none"> • INTERFACE MODULE • WITH D-SUBMINIATURE FEMALE CONNECTOR • 25-POLES |  <ul style="list-style-type: none"> • LIMIT SWITCH • TYPE F • SPECIAL PURPOSE • 1NO/1NC |  <ul style="list-style-type: none"> • WINDOW CURRENT SENSOR • ECSW SERIES • 120 VAC INPUT |  <ul style="list-style-type: none"> • CURRENT SENSOR FOR USE WITH A GFR RELAY • RATED 100-1200AMP |













More manufacturers

- | | | | | | |
|----------------------|----------------|----------------|-----------------|----------------------|-------------------------|
| • BANNER ENGINEERING | • CONTRINEX | • HANYOUNG NUX | • LEUZE | • PANASONIC | • SENECA |
| • BAUMER | • DATALOGIC | • HONEYWELL | • MICRO-EPSILON | • PEPPERL+FUCHS | • SENSOPART |
| • CARLO GAVAZZI | • FESTO | • IFM EFECTOR | • MTS SENSORS | • PILZ | • TELEMECANIQUE SENSORS |
| • COGNEX | • GEMS SENSORS | • KISTLER | • OPTEX | • SCHNEIDER ELECTRIC | |

| Servo Products | | | |
|--|--|---|--|
| APPLIED MOTION PRODUCTS PDO-2035  <ul style="list-style-type: none"> • STEPPER MOTOR DRIVE • 110-220 V AC INPUT • 50/60 HZ • SWITCH SELECTABLE | DANAHER MOTION INDUSTRIAL DEVICES E30-KT2  B8961NP <ul style="list-style-type: none"> • SERVO CONTROL • SINGLE AXIS • WITHOUT FRONT PANEL (FP220) | CENTENT CN0165  <ul style="list-style-type: none"> • SERVO DRIVE • MICROSTEP • ADJUSTABLE RESOLUTION | ALLEN BRADLEY 150-A24NC  <ul style="list-style-type: none"> • MOTOR CONTROLLER SMC-2 • 24AMP • 500-575V AC 50/60HZ |
| NIDEC CORP CONTROL TECHNIQUES 960169-02  <ul style="list-style-type: none"> • SERVO CONTROLLER AXIMA 0200 | NIDEC CORP CONTROL TECHNIQUES 850022-01  <ul style="list-style-type: none"> • SERVO DRIVE • POSITIONING • 120 VAC • 50/60 HZ INPUT • SHUNT FUSE • BRIDGE FUSE • DXA-202 | PARKER COMPUMOTOR 500  <ul style="list-style-type: none"> • INDEXER • 90-240 VAC INPUT • 50/60 HZ • 13 PROGRAMMABLE INPUTS • 8 PROGRAMMABLE OUTPUTS • RS232C | MITSUBISHI AD75P3  <ul style="list-style-type: none"> • POSITIONING MODULE • MOTION CONTROLLER • 3-AXIS OPERATION |
| PARKER COMPUMOTOR OEM670X  <ul style="list-style-type: none"> • DRIVE INDEXER • 75 VDC • 500 VA | GALIL MOTION CONTROLS ICM-2900  <ul style="list-style-type: none"> • I/O MODULE • FOR DMC2XX0 | NIDEC CORP CONTROL TECHNIQUES M016450  <ul style="list-style-type: none"> • EMERSON CONTROL TECHNIQUES • SERVO DRIVE CONTROLLER MODULE PCM-6 | FANUC A06B-0235-B605  <ul style="list-style-type: none"> • SERVO MOTOR • AC MOTOR • AC SERVO MOTOR AIS8/4000 AA64I BRAKE • AC MOTOR MODEL AIS 8/4000 |

More manufacturers




- | | | | | | |
|-----------------|------------------------------|--------------|----------|----------------------|-----------|
| • ABB | • DELTA ELECTRONICS | • FESTO | • LENZE | • ORIENTAL MOTOR | • STÖBER |
| • B&R | • EMERSON CONTROL TECHNIQUES | • INOVANCE | • MOOG | • PANASONIC | • TEKNIC |
| • BECKHOFF | • ESTUN | • KEYENCE | • MOONS' | • SANYO DENKI | • TOSHIBA |
| • BOSCH REXROTH | | • KOLLMORGEN | • OMRON | • SCHNEIDER ELECTRIC | • YASKAWA |

| Commercial Product Parts | | Sensors & Switches | |
|---|--|--|---|
| <p>OMRON D2MV-01L22-1C3</p>  <ul style="list-style-type: none"> · BASIC SWITCH · SWITCH SNAP ACTION · NO/NC · SPDT · SHORT HINGE ROLLER | <p>CROUZET 81513058</p>  <ul style="list-style-type: none"> · LED INDICATOR FOR SOLENOID VALVES · 110 VAC · PACKAGE OF 5 | <p>EATON CORPORATION OPCON 1571A-6501</p>  <ul style="list-style-type: none"> · SENSOR · FIBER OPTIC PROXIMITY SENSOR · THREADED HEAD PAIR · 70-SERIES | <p>OMRON SS-5D</p>  <ul style="list-style-type: none"> · SWITCH SNAP ACTION · N.O./N.C · . SPDT · PIN PLUNGER · 5A · 250VAC 1.47N |
| <p>DIALIGHT 249-7971-3332-504F</p>  <ul style="list-style-type: none"> · LED PANEL INDICATOR · GREEN · PANEL MOUNT · 9.53 MM MOUNTING HOLE · 5 MM LED | <p>CARLING SWITCH 62112421-0-0-N</p>  <ul style="list-style-type: none"> · SWITCH · ROCKER · DPDT · 8A · 250V · BLACK | <p>LINEMASTER 636-S</p>  <ul style="list-style-type: none"> · SWITCHFOOT · SPDT · (ON) · 10A · 250V · CONTACT CONFIGURATION: SPDT | <p>EATON CORPORATION CUTLER HAMMER E51DF11</p>  <ul style="list-style-type: none"> · LIMIT SWITCH · MODULAR STYLE · INDUCTIVE RIGHT ANGLE · SERIES: E51 · PHOTOELECTRIC |
| <p>CARLING SWITCH TIGM5M-6S-WH-NBL</p>  <ul style="list-style-type: none"> · SWITCH · ROCKER · DPDT · 15A · 250V · WHITE | <p>DIALIGHT 597-2311-402F</p>  <ul style="list-style-type: none"> · LED · GREEN · 2MM · 5.2MCD · 560NM · FULL REEL · LED COLOR:GREEN | <p>SIEMENS FURNAS ELECTRIC CO 3SE03-DM1</p>  <ul style="list-style-type: none"> · LIMIT SWITCH OPERATING HEAD · SIDE ROTARY · CONTROLS - NORTHAMER LMT SWIT | <p>EATON CORPORATION CUTLER HAMMER 10316H119</p>  <ul style="list-style-type: none"> · LIMIT SWITCH |

More manufacturers

- ALPS ELECTRIC
- APEM
- BAUSER
- BULGIN
- CHERRY (ZF ELECTRONICS)
- CK SWITCHES
- E-SWITCH
- FARNELL
- FELLER
- GRAYHILL
- HONEYWELL
- ITW SWITCHES
- JOHNSON ELECTRIC
- KEMET
- LORLIN
- MARATHON
- NKK SWITCHES
- PHOENIX CONTACT
- SALECOM
- SCHURTER
- SWITCH SCIENCE
- SWITCHCRAFT
- TE CONNECTIVITY

Medical Equipment

| RAULAND BORG NCDATA | RAULAND BORG BS820 | HAWS 7620 | MSA 470215 |
|---|---|--|--|
|  <ul style="list-style-type: none"> DATA INTERFACE MODULE 14 VDC 0.5A CLASS 2 TYPE HN872R |  <ul style="list-style-type: none"> BEDSIDE PATIENT STATION / DUAL 2 MINI PILLOW SPEAKER JACK |  <ul style="list-style-type: none"> EYEWASH FAUCET MOUNT ROTATION OF EYEWASH HEAD ASSEMBLED NO BOWL |  <ul style="list-style-type: none"> OXYGEN SENSOR NON SPILLABLE |

Scales

| VISHAY PERFORMANCE GROUP BLH NOBEL LCP100-1-4-1-1-1 | RICE LAKE IQ700HBAAAC | METTLER TOLEDO TOLEDO SCALE 8132 | RICE LAKE IQ+310A-FA |
|--|---|--|--|
|  <ul style="list-style-type: none"> WEIGHT PROCESSOR EXPERT SERIES VACUUM FLUORESCENT DISPLAY |  <ul style="list-style-type: none"> WEIGHT INDICATOR/CONTROL 2000 LBS MAX 20 AMP 117 VAC 50/60 HZ |  <ul style="list-style-type: none"> INDICATOR SCALE DIGITAL 6 AMP 120 VOLTS 50/60 HZ |  <ul style="list-style-type: none"> DIGITAL WEIGHT INDICATOR 120 V 50/60 HZ W/ STANDARD I/O 7-DIGIT DISPLAY |

Test Equipment

| RONAN ENGINEERING CO X86 | AMPROBE ACDC-620T | BRUEL & KJAER 2230 | DRANETZ 808 |
|--|---|---|--|
|  <ul style="list-style-type: none"> CALIBRATOR 6 VDC 1 AMP |  <ul style="list-style-type: none"> CLAMP-ON MULTIMETER VOLT / AMP HAND HELD LCD 1000AMP 600V AC/DC |  <ul style="list-style-type: none"> SOUND LEVEL METER TYPE 1 |  <ul style="list-style-type: none"> ELECTRIC POWER/DEMAND ANALYZER 808 SERIES 105-125 VAC 47/65HZ 28 TOUCHPAD KEYS |

More manufacturers

- B&K PRECISION
- CHAUVIN ARNOUX
- CIRCUIT SPECIALISTS
- EXTECH
- FARNELL
- FLIR SYSTEMS
- FLUKE
- GW INSTEK
- HACH
- HIOKI
- KEYSIGHT TECHNOLOGIES
- KYORITSU
- LECROY
- LINDSTROM
- MEGGER
- NATIONAL INSTRUMENTS
- ROHDE & SCHWARZ
- SIGLENT
- SPECTRUM TECHNOLOGIES
- TEKTRONIX
- UNI-T



Cutting HSS & Solid Carbide

| PANDUIT TAPC2-2/0-X | PANDUIT HTAP1-1-Q | TEXTRON GREENLEE TOOL 2983-AV | TEXTRON GREENLEE TOOL 902-18 |
|--|--|---|--|
|  <ul style="list-style-type: none"> HTAP COVER #2 - 2/0 AWG HTAP AND #4 - # |  <ul style="list-style-type: none"> ALUMINUM COMPRESSION HTAP |  <ul style="list-style-type: none"> CONDUIT ROUND DIE 4 INCH 4" CONDUIT SIZE DIE 4-1/2" (115.4 MM) ACTUAL HOLE SIZE |  <ul style="list-style-type: none"> EXTENSION BIT-POWER (18" OA) |

Cutting Indexables

| PHOENIX CONTACT VS-08-BU-RJ45-5-F-BU | PHOENIX CONTACT HC-D-25-ESTC | HARTING 09140006153 | ALTECH CORP 29121 |
|--|---|---|--|
|  <ul style="list-style-type: none"> RJ45 SOCKET INSERT FOR THE FREENET SYSTEM CAT5E 8-POS. SHIELDED |  <ul style="list-style-type: none"> IT HAS BEEN REPLACED BY 1584392 HEAVYCON MALE INSERT D25 SERIES 25-POS. CRIMP CONNECTION |  <ul style="list-style-type: none"> CONTACT PIN 4MM ID PNEUMATIC PRODUCT RANGE:HAN-MODULAR CONTACT GENDER:PIN |  <ul style="list-style-type: none"> MALE INSERT IND-CON (1-6) - 6 POLE W/ GRND 16 AMP 400 VOLT |

Tools

| HAMMOND MANUFACTURING 1425BH | EATON CORPORATION CUTLER HAMMER D7PAB | PANDUIT CT-1005 | INGERSOLL RAND BSDL-80 |
|--|--|--|---|
|  <ul style="list-style-type: none"> CASTER KIT 1050LB INCLUDES (4) ZINC-PLATED SWIVEL CASTERS AND MOUNTING HARDWARE. |  <ul style="list-style-type: none"> FINGER-SAFE SOCKET. C-H FING SAF REL BAS D7 3P |  <ul style="list-style-type: none"> THE CT-1005 CONTOUR CRIMP™ FERRULE CRIMP TOOL HAS A TRAPEZOID PROFILE CONSISTENT TERMINATIONS |  <ul style="list-style-type: none"> 398 ACCESSORY BALANCER |

More manufacturers

- ARMSTRONG TOOLS
- BOSCH
- BOSTITCH
- CHANNELLOCK
- CRAFTSMAN
- DEWALT
- FEIN
- FESTOOL
- HILTI
- IRWIN
- KLEIN TOOLS
- KREG
- MAC TOOLS
- MAKITA
- MATCO TOOLS
- MILWAUKEE
- PASLODE
- PROTO
- RIDGID
- SENCO
- SNAP-ON
- STANLEY
- WERA
- WIHA



INDUSTRIES SERVED

-  Aerospace and defense
-  Automotive
-  Aviation
-  Communications
-  Consumer Electronics
-  Energy
-  Industrial
-  Medical

Our mission statement is to create an easy and accessible component distribution experience for all our clients.

LOCATIONS

Global presence while providing unparalleled customer service. 9 offices strategically placed in major regions of the global electronic economy.



United States Headquarters

7880 N University Dr. Ste. 100
Tamarac, FL 33321

EUROPE

United Kingdom
Poland
Germany
Italy
Hungary

CHINA

Shenzhen
Hong Kong

SINGAPORE*

MEXICO

Guadalajara, Jalisco

INDIA*

*Offices coming soon

 +1 954 718 2950

 quote@ascglobal.com